

## Mobile

to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners. [Learn more](#)

[Home](#) [Rating](#) [WHOIS](#) [Contact Us](#)

WebReview -  
Pressreaders.eu



# WebReview

WebReview is a free seo tool which will help you  
analyse your web page

example.com

Analyse

**45 / 100** Speed

**!** Should Fix:

## Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 371KiB (74% reduction).

- Compressing <http://webreview.pressreaders.eu/css/bootstrap.min.css> could save 86.8KiB (83% reduction).
- Compressing <http://webreview.pressreaders.eu/assets/cfc84731/jquery.min.js> could save 61.1KiB (65% reduction).
- Compressing <http://pressreaders.eu/js/jquery-1.8.3.min.js> could save 58.8KiB (64% reduction).
- Compressing <http://pressreaders.eu/style.css> could save 44.1KiB (84% reduction).
- Compressing <http://pressreaders.eu/css/responsive.css> could save 25.7KiB (90% reduction).

## Mobile

- Compressing <http://webreview.pressreaders.eu/js/bootstrap.min.js> could save 20.5KiB (73% reduction).
- Compressing <http://pressreaders.eu/css/prettyPhoto.css> could save 16.7KiB (86% reduction).
- Compressing <http://webreview.pressreaders.eu/css/bootstrap-responsive.min.css> could save 12.5KiB (76% reduction).
- Compressing <http://pressreaders.eu/css/font-awesome.min.css> could save 12KiB (77% reduction).
- Compressing <http://webreview.pressreaders.eu/> could save 8.8KiB (71% reduction).
- Compressing <http://webreview.pressreaders.eu/css/app.css> could save 5.2KiB (72% reduction).
- Compressing <http://pressreaders.eu/css/flexslider.css> could save 4.8KiB (71% reduction).
- Compressing <http://pressreaders.eu/smallheader.html> could save 4.8KiB (76% reduction).
- Compressing <http://webreview.pressreaders.eu/js/base.js> could save 3.4KiB (68% reduction).
- Compressing <http://webreview.pressreaders.eu/js/cookieconsent.latest.min.js> could save 2.5KiB (57% reduction).
- Compressing <http://s3.amazonaws.com/cc.silktide.com/dark-top.css> could save 2KiB (69% reduction).
- Compressing <http://pressreaders.eu/css/reset.css> could save 1.2KiB (52% reduction).

## Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://games.pressreaders.eu/wp-content/themes/frizi-arcade/images/star.png> (expiration not specified)
- <http://pressreaders.eu/css/flexslider.css> (expiration not specified)
- <http://pressreaders.eu/css/font-awesome.min.css> (expiration not specified)
- <http://pressreaders.eu/css/prettyPhoto.css> (expiration not specified)
- <http://pressreaders.eu/css/reset.css> (expiration not specified)

## Mobile

- <http://pressreaders.eu/css/responsive.css> (expiration not specified)
- <http://pressreaders.eu/js/jquery-1.8.3.min.js> (expiration not specified)
- <http://pressreaders.eu/placeholders/logoheader.png> (expiration not specified)
- <http://pressreaders.eu/style.css> (expiration not specified)
- <http://webreview.pressreaders.eu/assets/cfc84731/jquery.min.js> (expiration not specified)
- <http://webreview.pressreaders.eu/css/app.css> (expiration not specified)
- <http://webreview.pressreaders.eu/css/bootstrap-responsive.min.css> (expiration not specified)
- <http://webreview.pressreaders.eu/css/bootstrap.min.css> (expiration not specified)
- <http://webreview.pressreaders.eu/img/advice.png> (expiration not specified)
- <http://webreview.pressreaders.eu/img/content.png> (expiration not specified)
- <http://webreview.pressreaders.eu/img/link.png> (expiration not specified)
- <http://webreview.pressreaders.eu/img/loader.gif> (expiration not specified)
- <http://webreview.pressreaders.eu/img/review.png> (expiration not specified)
- <http://webreview.pressreaders.eu/img/speed.png> (expiration not specified)
- <http://webreview.pressreaders.eu/img/tags.png> (expiration not specified)
- <http://webreview.pressreaders.eu/js/base.js> (expiration not specified)
- <http://webreview.pressreaders.eu/js/bootstrap.min.js> (expiration not specified)
- <http://webreview.pressreaders.eu/js/cookieconsent.latest.min.js> (expiration not specified)
- <https://s3-eu-west-1.amazonaws.com/assets.cookieconsent.silktide.com/cookie-consent-logo.png> (expiration not specified)
- <http://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <https://pagead2.googlesyndication.com/pagead/osd.js> (60 minutes)

## Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 4 blocking script resources and 3 blocking CSS resources. This causes a delay in rendering your page.

## Mobile

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

### [Remove render-blocking JavaScript:](#)

- <http://webreview.pressreaders.eu/assets/cfc84731/jquery.min.js>
- <http://webreview.pressreaders.eu/js/bootstrap.min.js>
- <http://webreview.pressreaders.eu/js/base.js>
- <http://webreview.pressreaders.eu/js/cookieconsent.latest.min.js>

### [Optimize CSS Delivery](#) of the following:

- <http://webreview.pressreaders.eu/css/bootstrap.min.css>
- <http://webreview.pressreaders.eu/css/bootstrap-responsive.min.css>
- <http://webreview.pressreaders.eu/css/app.css>

## Consider Fixing:

### Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 26.1KiB (24% reduction).

- Minifying <http://pressreaders.eu/style.css> could save 12KiB (23% reduction).
- Minifying <http://pressreaders.eu/css/responsive.css> could save 8.8KiB (31% reduction).
- Minifying <http://pressreaders.eu/css/flexslider.css> could save 1.8KiB (28% reduction).
- Minifying <http://webreview.pressreaders.eu/css/app.css> could save 1.6KiB (22% reduction).
- Minifying <http://pressreaders.eu/css/font-awesome.min.css> could save 1.1KiB (8% reduction).
- Minifying <http://pressreaders.eu/css/reset.css> could save 872B (38% reduction).

### Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 4.2KiB (23% reduction).

- Minifying <http://webreview.pressreaders.eu/> could save 2.9KiB (24% reduction).
- Minifying <http://pressreaders.eu/smallheader.html> could save 1.3KiB (21% reduction).

### Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 3.3KiB (3% reduction).

- Minifying <http://webreview.pressreaders.eu/js/base.js> could save 2.1KiB (42% reduction).
- Minifying [http://pagead2.googlesyndication.com/pagead/js/r20151117/r20151006/show\\_ads\\_impl.js](http://pagead2.googlesyndication.com/pagead/js/r20151117/r20151006/show_ads_impl.js) could save 725B (1% reduction) after compression.
- Minifying [https://pagead2.googlesyndication.com/pagead/js/r20151117/r20151006/expansion\\_embed.js](https://pagead2.googlesyndication.com/pagead/js/r20151117/r20151006/expansion_embed.js) could save 519B (1% reduction) after compression.

### Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 19.3KiB (10% reduction).

## Mobile

- Losslessly compressing <https://tpc.googlesyndication.com/pagead/imgad?id=CICAgKCTqemF2AEQ-QMYzgEyCBOG51r-uRgP> could save 16.5KiB (9% reduction).
- Losslessly compressing <http://games.pressreaders.eu/wp-content/themes/frizi-arcade/images/star.png> could save 2.7KiB (52% reduction).

### Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 19% of the final above-the-fold content could be rendered with the full HTML response snapshot:7.



1 Passed Rules

### Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

**93 / 100** User Experience



Consider Fixing:

### Size content to viewport

The page content is too wide for the viewport, forcing the user to scroll horizontally. [Size the page content to the viewport](#) to provide a better user experience.

The page content is 422 CSS pixels wide, but the viewport is only 375 CSS pixels wide.



### 5 Passed Rules

#### Avoid app install interstitials that hide content

Your page does not appear to have any app install interstitials that hide a significant amount of content. Learn more about the importance of [avoiding the use of app install interstitials](#).

#### Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

#### Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

#### Size tap targets appropriately

All of your page's links/buttons are large enough for a user to easily tap on a touchscreen. Learn more about [sizing tap targets appropriately](#).

#### Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

# Desktop



57 / 100 Speed

! Should Fix:

## Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 371KiB (74% reduction).

- Compressing <http://webreview.pressreaders.eu/css/bootstrap.min.css> could save 86.8KiB (83% reduction).
- Compressing <http://webreview.pressreaders.eu/assets/cfc84731/jquery.min.js> could save 61.1KiB (65% reduction).
- Compressing <http://pressreaders.eu/js/jquery-1.8.3.min.js> could save 58.8KiB (64% reduction).
- Compressing <http://pressreaders.eu/style.css> could save 44.1KiB (84% reduction).
- Compressing <http://pressreaders.eu/css/responsive.css> could save 25.7KiB (90% reduction).
- Compressing <http://webreview.pressreaders.eu/js/bootstrap.min.js> could save 20.5KiB (73% reduction).
- Compressing <http://pressreaders.eu/css/prettyPhoto.css> could save 16.7KiB (86% reduction).
- Compressing <http://webreview.pressreaders.eu/css/bootstrap-responsive.min.css> could save 12.5KiB (76% reduction).
- Compressing <http://pressreaders.eu/css/font-awesome.min.css> could save 12KiB (77% reduction).
- Compressing <http://webreview.pressreaders.eu/> could save 8.8KiB (71% reduction).



## Desktop

- Compressing <http://webreview.pressreaders.eu/css/app.css> could save 5.2KiB (72% reduction).
- Compressing <http://pressreaders.eu/css/flexslider.css> could save 4.8KiB (71% reduction).
- Compressing <http://pressreaders.eu/smallheader.html> could save 4.8KiB (76% reduction).
- Compressing <http://webreview.pressreaders.eu/js/base.js> could save 3.4KiB (68% reduction).
- Compressing <http://webreview.pressreaders.eu/js/cookieconsent.latest.min.js> could save 2.5KiB (57% reduction).
- Compressing <http://s3.amazonaws.com/cc.silktide.com/dark-top.css> could save 2KiB (69% reduction).
- Compressing <http://pressreaders.eu/css/reset.css> could save 1.2KiB (52% reduction).

## Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://games.pressreaders.eu/wp-content/themes/frizi-arcade/images/star.png> (expiration not specified)
- <http://pressreaders.eu/css/flexslider.css> (expiration not specified)
- <http://pressreaders.eu/css/font-awesome.min.css> (expiration not specified)
- <http://pressreaders.eu/css/prettyPhoto.css> (expiration not specified)
- <http://pressreaders.eu/css/reset.css> (expiration not specified)
- <http://pressreaders.eu/css/responsive.css> (expiration not specified)
- <http://pressreaders.eu/js/jquery-1.8.3.min.js> (expiration not specified)
- <http://pressreaders.eu/placeholders/logoheader.png> (expiration not specified)
- <http://pressreaders.eu/style.css> (expiration not specified)
- <http://webreview.pressreaders.eu/assets/cfc84731/jquery.min.js> (expiration not specified)
- <http://webreview.pressreaders.eu/css/app.css> (expiration not specified)
- <http://webreview.pressreaders.eu/css/bootstrap-responsive.min.css> (expiration not specified)

## Desktop

- <http://webreview.pressreaders.eu/css/bootstrap.min.css> (expiration not specified)
- <http://webreview.pressreaders.eu/img/advice.png> (expiration not specified)
- <http://webreview.pressreaders.eu/img/content.png> (expiration not specified)
- <http://webreview.pressreaders.eu/img/link.png> (expiration not specified)
- <http://webreview.pressreaders.eu/img/loader.gif> (expiration not specified)
- <http://webreview.pressreaders.eu/img/review.png> (expiration not specified)
- <http://webreview.pressreaders.eu/img/speed.png> (expiration not specified)
- <http://webreview.pressreaders.eu/img/tags.png> (expiration not specified)
- <http://webreview.pressreaders.eu/js/base.js> (expiration not specified)
- <http://webreview.pressreaders.eu/js/bootstrap.min.js> (expiration not specified)
- <http://webreview.pressreaders.eu/js/cookieconsent.latest.min.js> (expiration not specified)
- <https://s3-eu-west-1.amazonaws.com/assets.cookieconsent.silktide.com/cookie-consent-logo.png> (expiration not specified)
- <http://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <https://pagead2.googlesyndication.com/pagead/osd.js> (60 minutes)

## Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 4 blocking script resources and 3 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

### [Remove render-blocking JavaScript:](#)

- <http://webreview.pressreaders.eu/assets/cfc84731/jquery.min.js>
- <http://webreview.pressreaders.eu/js/bootstrap.min.js>
- <http://webreview.pressreaders.eu/js/base.js>
- <http://webreview.pressreaders.eu/js/cookieconsent.latest.min.js>

[Optimize CSS Delivery](#) of the following:

- <http://webreview.pressreaders.eu/css/bootstrap.min.css>
- <http://webreview.pressreaders.eu/css/bootstrap-responsive.min.css>
- <http://webreview.pressreaders.eu/css/app.css>

### Consider Fixing:

#### Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 26.1KiB (24% reduction).

- Minifying <http://pressreaders.eu/style.css> could save 12KiB (23% reduction).
- Minifying <http://pressreaders.eu/css/responsive.css> could save 8.8KiB (31% reduction).
- Minifying <http://pressreaders.eu/css/flexslider.css> could save 1.8KiB (28% reduction).
- Minifying <http://webreview.pressreaders.eu/css/app.css> could save 1.6KiB (22% reduction).
- Minifying <http://pressreaders.eu/css/font-awesome.min.css> could save 1.1KiB (8% reduction).
- Minifying <http://pressreaders.eu/css/reset.css> could save 872B (38% reduction).

#### Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 4.2KiB (23% reduction).

## Desktop

- Minifying <http://webreview.pressreaders.eu/> could save 2.9KiB (24% reduction).
- Minifying <http://pressreaders.eu/smallheader.html> could save 1.3KiB (21% reduction).

## Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 3.3KiB (3% reduction).

- Minifying <http://webreview.pressreaders.eu/js/base.js> could save 2.1KiB (42% reduction).
- Minifying [http://pagead2.googlesyndication.com/pagead/js/r20151117/r20151006/show\\_ads\\_impl.js](http://pagead2.googlesyndication.com/pagead/js/r20151117/r20151006/show_ads_impl.js) could save 725B (1% reduction) after compression.
- Minifying [https://pagead2.googlesyndication.com/pagead/js/r20151117/r20151006/expansion\\_embed.js](https://pagead2.googlesyndication.com/pagead/js/r20151117/r20151006/expansion_embed.js) could save 519B (1% reduction) after compression.

## Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 7.4KiB (43% reduction).

- Losslessly compressing [https://tpc.googlesyndication.com/pagead/imgad?id=CICAgKDjz4Sj\\_gEQfhiSATIIrt97Y2xhQGI](https://tpc.googlesyndication.com/pagead/imgad?id=CICAgKDjz4Sj_gEQfhiSATIIrt97Y2xhQGI) could save 4.1KiB (47% reduction).
- Losslessly compressing <http://games.pressreaders.eu/wp-content/themes/frizi-arcade/images/star.png> could save 2.7KiB (52% reduction).
- Losslessly compressing <https://tpc.googlesyndication.com/pagead/imgad?id=CICAgKDjz4Sz7AEQrgMYWDIijwTcVb6831E> could save 587B (18% reduction).

## Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 13% of the final above-the-fold content could be rendered with the full HTML response snapshot:7.



1 Passed Rules

## Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).