

PageSpeed Insights

Mobile



52 / 100 Speed

Should Fix:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 382.7KiB (75% reduction).

- Compressing <http://whois.pressreaders.eu/public/css/bootstrap.min.css> could save 99.1KiB (83% reduction).
- Compressing <http://whois.pressreaders.eu/public/js/jquery.js> could save 61.1KiB (65% reduction).
- Compressing <http://pressreaders.eu/js/jquery-1.8.3.min.js> could save 58.8KiB (64% reduction).
- Compressing <http://pressreaders.eu/style.css> could save 44.1KiB (84% reduction).
- Compressing <http://whois.pressreaders.eu/public/js/bootstrap.min.js> could save 26.5KiB

Mobile

(73% reduction).

- Compressing <http://pressreaders.eu/css/responsive.css> could save 25.7KiB (90% reduction).
- Compressing <http://pressreaders.eu/css/prettyPhoto.css> could save 16.7KiB (86% reduction).
- Compressing <http://whois.pressreaders.eu/public/font-awesome/css/font-awesome.min.css> could save 16.5KiB (77% reduction).
- Compressing <http://pressreaders.eu/css/font-awesome.min.css> could save 12KiB (77% reduction).
- Compressing <http://whois.pressreaders.eu/> could save 8.2KiB (64% reduction).
- Compressing <http://pressreaders.eu/smallheader.html> could save 5.1KiB (76% reduction).
- Compressing <http://pressreaders.eu/css/flexslider.css> could save 4.8KiB (71% reduction).
- Compressing <http://whois.pressreaders.eu/public/css/stylish-portfolio.css> could save 2.9KiB (71% reduction).
- Compressing <http://pressreaders.eu/css/reset.css> could save 1.2KiB (52% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://games.pressreaders.eu/wp-content/themes/frizi-arcade/images/star.png> (expiration not specified)
- <http://pressreaders.eu/css/flexslider.css> (expiration not specified)
- <http://pressreaders.eu/css/font-awesome.min.css> (expiration not specified)
- <http://pressreaders.eu/css/prettyPhoto.css> (expiration not specified)
- <http://pressreaders.eu/css/reset.css> (expiration not specified)
- <http://pressreaders.eu/css/responsive.css> (expiration not specified)
- <http://pressreaders.eu/js/jquery-1.8.3.min.js> (expiration not specified)
- <http://pressreaders.eu/placeholders/logoheader.png> (expiration not specified)
- <http://pressreaders.eu/style.css> (expiration not specified)

Mobile

- <http://whois.pressreaders.eu/public/css/bootstrap.min.css> (expiration not specified)
- <http://whois.pressreaders.eu/public/css/stylish-portfolio.css> (expiration not specified)
- <http://whois.pressreaders.eu/public/font-awesome/css/font-awesome.min.css> (expiration not specified)
- <http://whois.pressreaders.eu/public/img/bg.jpg> (expiration not specified)
- <http://whois.pressreaders.eu/public/js/bootstrap.min.js> (expiration not specified)
- <http://whois.pressreaders.eu/public/js/jquery.js> (expiration not specified)
- <http://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <https://pagead2.googlesyndication.com/pagead/osd.js> (60 minutes)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 4 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <http://whois.pressreaders.eu/public/css/bootstrap.min.css>
- <http://whois.pressreaders.eu/public/css/stylish-portfolio.css>
- <http://whois.pressreaders.eu/public/font-awesome/css/font-awesome.min.css>
- <http://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,700,300italic,400italic,700italic>

Consider Fixing:

Minify CSS

Mobile

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 25.7KiB (24% reduction).

- Minifying <http://pressreaders.eu/style.css> could save 12KiB (23% reduction).
- Minifying <http://pressreaders.eu/css/responsive.css> could save 8.8KiB (31% reduction).
- Minifying <http://pressreaders.eu/css/flexslider.css> could save 1.8KiB (28% reduction).
- Minifying <http://whois.pressreaders.eu/public/css/stylish-portfolio.css> could save 1.2KiB (29% reduction).
- Minifying <http://pressreaders.eu/css/font-awesome.min.css> could save 1.1KiB (8% reduction).
- Minifying <http://pressreaders.eu/css/reset.css> could save 872B (38% reduction).

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 3.6KiB (19% reduction).

- Minifying <http://whois.pressreaders.eu/> could save 2.2KiB (18% reduction).
- Minifying <http://pressreaders.eu/smallheader.html> could save 1.4KiB (22% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 1.2KiB (1% reduction).

- Minifying

Mobile

http://pagead2.googlesyndication.com/pagead/js/r20151208/r20151208/show_ads_impl.js could save 700B (1% reduction) after compression.

- Minifying https://pagead2.googlesyndication.com/pagead/js/r20151208/r20151208/expansion_embed.js could save 532B (2% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 4KiB (12% reduction).

- Losslessly compressing <http://games.pressreaders.eu/wp-content/themes/friz-arcade/images/star.png> could save 2.7KiB (52% reduction).
- Losslessly compressing <https://tpc.googlesyndication.com/sadbundle/12384377873674315445/maquina2.png> could save 1.2KiB (5% reduction).



2 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

95 / 100 User Experience



Consider Fixing:

Size content to viewport

The page content is too wide for the viewport, forcing the user to scroll horizontally. [Size the page content to the viewport](#) to provide a better user experience.

The page content is 390 CSS pixels wide, but the viewport is only 375 CSS pixels wide. The following elements fall outside the viewport:

- The element `<div class="col-md-4"></div>` falls outside the viewport.
- The element `<div class="col-md-4">Search</div>` falls outside the viewport.

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `` is close to 3 other tap targets final.
- The tap target `glion.edu/Hosp...ity_Management` is close to 1 other tap targets final.
- The tap target `<div id="abgc" class="abgc">AdChoices</div>` is close to 4 other tap targets final.



4 Passed Rules

Avoid app install interstitials that hide content

Your page does not appear to have any app install interstitials that hide a significant amount of

Mobile

content. Learn more about the importance of [avoiding the use of app install interstitials](#).

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



60 / 100 Speed

! Should Fix:

Enable compression

Desktop

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 382.7KiB (75% reduction).

- Compressing <http://whois.pressreaders.eu/public/css/bootstrap.min.css> could save 99.1KiB (83% reduction).
- Compressing <http://whois.pressreaders.eu/public/js/jquery.js> could save 61.1KiB (65% reduction).
- Compressing <http://pressreaders.eu/js/jquery-1.8.3.min.js> could save 58.8KiB (64% reduction).
- Compressing <http://pressreaders.eu/style.css> could save 44.1KiB (84% reduction).
- Compressing <http://whois.pressreaders.eu/public/js/bootstrap.min.js> could save 26.5KiB (73% reduction).
- Compressing <http://pressreaders.eu/css/responsive.css> could save 25.7KiB (90% reduction).
- Compressing <http://pressreaders.eu/css/prettyPhoto.css> could save 16.7KiB (86% reduction).
- Compressing <http://whois.pressreaders.eu/public/font-awesome/css/font-awesome.min.css> could save 16.5KiB (77% reduction).
- Compressing <http://pressreaders.eu/css/font-awesome.min.css> could save 12KiB (77% reduction).
- Compressing <http://whois.pressreaders.eu/> could save 8.2KiB (64% reduction).
- Compressing <http://pressreaders.eu/smallheader.html> could save 5.1KiB (76% reduction).
- Compressing <http://pressreaders.eu/css/flexslider.css> could save 4.8KiB (71% reduction).
- Compressing <http://whois.pressreaders.eu/public/css/stylish-portfolio.css> could save 2.9KiB (71% reduction).
- Compressing <http://pressreaders.eu/css/reset.css> could save 1.2KiB (52% reduction).

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

Desktop

[Leverage browser caching](#) for the following cacheable resources:

- <http://games.pressreaders.eu/wp-content/themes/frizi-arcade/images/star.png> (expiration not specified)
- <http://pressreaders.eu/css/flexslider.css> (expiration not specified)
- <http://pressreaders.eu/css/font-awesome.min.css> (expiration not specified)
- <http://pressreaders.eu/css/prettyPhoto.css> (expiration not specified)
- <http://pressreaders.eu/css/reset.css> (expiration not specified)
- <http://pressreaders.eu/css/responsive.css> (expiration not specified)
- <http://pressreaders.eu/js/jquery-1.8.3.min.js> (expiration not specified)
- <http://pressreaders.eu/placeholders/logoheader.png> (expiration not specified)
- <http://pressreaders.eu/style.css> (expiration not specified)
- <http://whois.pressreaders.eu/public/css/bootstrap.min.css> (expiration not specified)
- <http://whois.pressreaders.eu/public/css/stylish-portfolio.css> (expiration not specified)
- <http://whois.pressreaders.eu/public/font-awesome/css/font-awesome.min.css> (expiration not specified)
- <http://whois.pressreaders.eu/public/img/bg.jpg> (expiration not specified)
- <http://whois.pressreaders.eu/public/js/bootstrap.min.js> (expiration not specified)
- <http://whois.pressreaders.eu/public/js/jquery.js> (expiration not specified)
- <http://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- <https://pagead2.googlesyndication.com/pagead/osd.js> (60 minutes)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 25.7KiB (24% reduction).

- Minifying <http://pressreaders.eu/style.css> could save 12KiB (23% reduction).

Desktop

- Minifying <http://pressreaders.eu/css/responsive.css> could save 8.8KiB (31% reduction).
- Minifying <http://pressreaders.eu/css/flexslider.css> could save 1.8KiB (28% reduction).
- Minifying <http://whois.pressreaders.eu/public/css/stylish-portfolio.css> could save 1.2KiB (29% reduction).
- Minifying <http://pressreaders.eu/css/font-awesome.min.css> could save 1.1KiB (8% reduction).
- Minifying <http://pressreaders.eu/css/reset.css> could save 872B (38% reduction).

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 3.6KiB (19% reduction).

- Minifying <http://whois.pressreaders.eu/> could save 2.2KiB (18% reduction).
- Minifying <http://pressreaders.eu/smallheader.html> could save 1.4KiB (22% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 1.2KiB (1% reduction).

- Minifying http://pagead2.googlesyndication.com/pagead/js/r20151208/r20151208/show_ads_impl.js could save 700B (1% reduction) after compression.
- Minifying https://pagead2.googlesyndication.com/pagead/js/r20151208/r20151208/expansion_embed.js could save 532B (2% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 4 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <http://whois.pressreaders.eu/public/css/bootstrap.min.css>
- <http://whois.pressreaders.eu/public/css/stylish-portfolio.css>
- <http://whois.pressreaders.eu/public/font-awesome/css/font-awesome.min.css>
- <http://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,700,300italic,400italic,700italic>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 4.8KiB (29% reduction).

- Losslessly compressing <http://games.pressreaders.eu/wp-content/themes/frizi-arcade/images/star.png> could save 2.7KiB (52% reduction).
- Losslessly compressing https://tpc.googlesyndication.com/sadbundle/688971997529049205/logo_msft.png could save 2KiB (18% reduction).



2 Passed Rules

Desktop

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).